

BADCamp 2012

# Frontiers of CSS

Its Past, Present, and Future (in )

Preston So  
November 4, 2012

# Welcome!

- **Preston So** (@prestonso) is Prototype Developer at Acquia, co-maintainer of the Spark distribution and co-founder of the Southern Colorado Drupal Group.

[www.prestonsodesign.com](http://www.prestonsodesign.com)  
[drupal.org/user/325491](http://drupal.org/user/325491)

[psso@college.harvard.edu](mailto:psso@college.harvard.edu)  
[preston.so@acquia.com](mailto:preston.so@acquia.com)

# What we'll cover



1

Where is CSS now?

2

CSS 3 properties and compatibility

3

Vendor prefixes

4

Responsive design and other media

4

Going out in style

# Where is CSS now?

A brief retrospective

A history of browser support

CSS in recent times



CSS

# CSS

- Structure versus presentation.



# CSS 1



Find It

Product Information

Customer Support

Technology &amp; Research

Developer World

Groups &amp; Interests

Resources Online

About Apple



Welcome to Apple

EMATE 300

Mobile,  
Affordable,  
& SmartMOVIES  
FROM MARSQuickTime VR  
Takes You Out  
of this WorldIntroducing  
CyberDrive*Register today for a free CD-ROM.*

What's Hot

**Preorder Mac OS 8**

Now you can [preorder Mac OS 8](#), described by Macworld as "the most comprehensive update to the Mac OS in years, sporting a bold new look, a speedier Finder, more shortcuts and integrated Internet functions."

**Want a PowerBook?**

Qualify to win a [PowerBook 3400/200](#) by [entering](#) this month's Apple Registration Sweepstakes.

**Big Help for Small Biz Find****Be the First to Know**

Learn about new Macintosh software releases the moment they become available. Check [Hot Mac Products](#) to hear about programs like Speed Demon, ReBirth RB-338 and QuickCRC.

**Newton Connects**

Newton, Inc., will enhance network connectivity for Newton-based devices this fall via [Newton Internet Enabler 2.0](#). Ethernet capability can connect devices to Local Area Networks.

CSS 1

Apple Sites Worldwide

Switzerland

Taiwan

Turkey

UK &amp; Ireland

United States

Go

Where to Buy

Register to Win

Software Updates

Home Page Archives

# CSS 1

1996

- The W3C releases the CSS 1 specification.
- Internet Explorer 3 offers limited support.

# CSS 1

1998

- CSS 2 becomes a W3C Recommendation.



# CSS 1

2000

- IE 5 for Mac offers better than 99% support.











IE6  
guillotine



Box model  
hacks

# CSS 1

- Font
- Color
- Alignment
- Text
- Box model
- ids and classes



# CSS 2

- Font
- Color
- Alignment
- Text
- Box model
- ids and classes
- Absolute
- Relative
- Fixed
- z-index
- Media
- Bidirectional

- Absolute
- Relative
- Fixed
- z-index
- Media
- Bidirectional

- Absolute
- Relative
- Fixed
- z-index
- Media
- Bidirectional
- Media queries
- Border styles
- Opacity
- Shadows
- Background styles
- Content

# CSS 3 properties and compatibility

2

CSS 3 properties

Browser compatibility



9

## border-radius



10.5

- Image-free rounded corners.



5



5



4

```
p {  
  border: 1px solid #999;  
  border-radius: 10px;  
}
```



9

## border-radius



10.5

- No border is necessary.



5



5



4

```
p {  
  background-color: #666;  
  border-radius: 10px;  
}
```





9

# border-radius



10.5

- No shorthand yet.



5



5



4

```
p {  
  background-color: #666;  
  border-radius: 10px;  
  border-bottom-left-  
>> radius: 0;  
  border-bottom-right-  
>> radius: 0;  
}
```



9

## border-radius



10.5

- And a little bit of chaos.



5



5



4

```
-webkit-border-bottom-  
>> left-radius: 5px;  
-moz-border-radius-  
>> bottomleft: 5px;  
border-bottom-left-  
>> radius: 5px;
```



9

## box-shadow



10.5

- Photoshop-like drop shadow.



5



10



4

```
p {  
  background-color: #666;  
  box-shadow: 10px 10px 5px  
>> #ccc;  
}  
  
/* horiz vert spread color  
*/
```



9

## box-shadow



10.5

- Inner shadow.



5



10



4

```
p {  
  background-color: #666;  
  box-shadow: 10px 10px 5px  
>> #ccc inset;  
}
```





9

## box-shadow



10.5

- Negative values permissible.



5



10



4

```
p {  
  background-color: #666;  
  box-shadow: -5px -5px 5px  
>> #ccc;  
}
```



9

## box-shadow



10.5

- One edge, negative spread.



5



10



4

```
p {  
  background-color: #666;  
  box-shadow: 0 10px 5px  
>> -5px #ccc;  
}
```



none

text-shadow



10

- Horizontal precedes vertical.



4



4



3

```
p {  
  color: #666;  
  text-shadow: 2px 2px  
>> #ccc;  
}
```



9

opacity



10

- In IE 8-, this was filter.



4



4



2

```
p {  
  background-color: #666;  
  opacity: 0.5;  
}
```





9

opacity



10

- 0 is transparent, 1 is opaque.



4



4



2

```
p {  
  background-color: #666;  
  opacity: 1;  
}
```



-9

# transform



-10.5

- This syntax still lacks support.



-5



-5



-3.6

```
p {  
  background-color: #666;  
  transform: rotate(5deg);  
}
```



-9

# transform



-10.5

- Vendor prefixes are required.



-5



-5



-3.6

```
p {  
  background-color: #666;  
  -ms-transform:  
>> rotate(5deg);  
  -moz-transform:  
>> rotate(5deg);  
}
```



-9

# transform



-10.5

- Vendor prefixes are required.



-5



-5



-3.6

```
p {  
  background-color: #666;  
  -webkit-transform:  
>> rotate(5deg);  
  -o-transform:  
>> rotate(5deg);  
}
```





-9

transform



-10.5

- `matrix(n, n, n, n, n, n)`



-5

- `translate(x, y)`  
`translateX, translateY, translateZ`



-5

- `scale(x, y)`  
`scaleX, scaleY, scaleZ`



-3.6



-9

transform



-10.5

- rotate(angle)  
rotateX, rotateY, rotateZ



-5

- skew(angleX, angleY)  
skewX, skewY



-5



-3.6



-9

# transform



-10.5

- Webkit has 3-d transforms.



-5



-5



-3.6

```
p {  
  background-color: #666;  
  -webkit-transform:  
    >> translate3d(5deg, 6deg,  
    >> 10deg);  
}
```



none

transition



-10.5

- Vendor prefixes required.



-5



-5



-4

```
p {  
  color: #666;  
  -moz-transition: color  
>> 2s;  
}  
p:hover {  
  color: #369;  
}
```





9

# Multiple backgrounds



10.5

- You can use longhand.



3.1



4



3.6

```
p {  
  color: #666;  
  background-image:  
    >> url(foreground.png),  
    >> url(background.png);  
  background-repeat:  
    >> no-repeat, repeat-x;  
}
```



9

# Multiple backgrounds



10.5

- Shorthand is also permitted.



3.1



4



3.6

```
p {  
  color: #666;  
  background:  
    >> url(foreground.png)  
    >> no-repeat,  
    >> url(background.png),  
    >> repeat-x;  
}
```



9

# Multiple backgrounds



10.5

- Shorthand is also permitted.



3.1



4



3.6

```
p {  
  color: #666;  
  background:  
    >> url(foreground.png)  
    >> no-repeat,  
    >> url(background.png),  
    >> repeat-x;  
}
```



9

## background-clip



10.5

- Where is the image painted?
- We can define where in the box model the image ends.



-5



10



4

```
p {  
  color: #666;  
  background-clip:  
>> content-box;  
}
```





9

# background-origin



10.5

- Position relative to box model.



5



4



4

```
p {  
  color: #666;  
  background-position:  
>> 15px 20px;  
  background-origin:  
>> content-box;  
}
```



9

## background-size



10.5

- A background image's size.



5



4



4

```
p {  
  color: #666;  
  background-position:  
>> 15px 20px;  
  background-size:  
>> 160px 180px;  
}
```



9

## background-size



10.5

- Cover: smallest area that fits.



5



4



4

```
p {  
  color: #666;  
  background-position:  
>> 15px 20px;  
  background-size:  
>> cover;  
}
```



9

## background-size



10.5

- Contain: largest area that fits.



5



4



4

```
p {  
  color: #666;  
  background-position:  
>> 15px 20px;  
  background-size:  
>> contain;  
}
```



# Vendor prefixes

Where are they from?

What can they do?

Where are they headed?

# Why vendor prefixes?

- The browser wars led to a great deal of nonstandard markup, such as IE's *filter* property.
- Vendor prefixes were originally intended as a way for browsers to test emerging properties.

# Vendor prefixes

- Vendor prefixes look kind of ugly.

```
p {  
  -moz-border-radius: 5px;  
  -o-border-radius: 5px;  
  -webkit-border-radius: 5px;  
  border-radius: 5px;  
}
```

# Vendor prefixes

- Aaron Gustafson: Like the box model hack.

```
#elem {  
  width: [IE width];  
  voice-family: "\"}\"";  
  voice-family: inherit;  
  width: [Other browser width];  
}  
html>body #elem {  
  width: [Other browser width];  
}
```



# Vendor prefixes

- Aaron Gustafson: Like the box model hack.

```
p {  
  padding: 10px;  
  width: 200px;  
  w\idth: 180px;  
  height: 200px;  
  heigh\t: 180px;  
}
```

# Advantages of vendor prefixes

- Vendor prefixes mark a property as “in progress,” or still under development.
- If standards change, browsers can adapt.
- According to Meyer, they add “sorely needed flexibility” to the progress of CSS.
- They are progressive rather than regressive.

# Disadvantages of vendor prefixes

- Vendor prefixes are not part of the standard and can increase file size substantially.
- If standards change, browsers can fall back onto the prefix instead of advancing.
- Vendors can now keep and maintain proprietary markup outside of standards.

# The -webkit fight

- In February 2009, the CSS Working Group reported that vendors were considering implementing the -webkit prefix, because other prefixes are much less prevalent.
- This is a move that could set a dangerous precedent; Firefox and Opera would display elements with -webkit just as they would their own prefixes.



# The -webkit fight

- For now, vendor prefixes are here to stay; they are simply too prevalent nowadays.
- Eric Meyer suggests that browsers adopt other prefixes only when they adopt the standard.
- Aaron Gustafson argues that use of vendor prefixes is fraught with risk and we're all responsible for avoiding their use.

# Responsive design and other media

4

CSS and other media

Responsive layout

The box-sizing property

# @media

- @media has been around since CSS 2.

```
@media print {  
  p {  
    font-size: 1.5em;  
  }  
}
```

- @media supports many other media.

```
@media aural {  
  p {  
    voice-family: female;  
  }  
}
```

# @media

- all
- aural
- braille
- embossed
- handheld
- print
- projection
- screen
- tty
- tv



# Media queries

- As you can see, the fundamentals of responsive behavior are nothing new.
- CSS 3 introduces *media queries*, which allow you to denote styles for specific viewport conditions, including orientation, device size, resolution, aspect ratio, and presence of color.

[www.w3.org/TR/css3-mediaqueries](http://www.w3.org/TR/css3-mediaqueries)

# Media queries


- We can now define responsive behavior.

```
@media screen and (min-width: 20em) {  
  #content {  
    width: 50%;  
    float: left;  
  }  
}
```

# Media queries



# Media queries



# box-sizing

- Netscape 3 and IE 3 had different interpretations of the box model.
- Netscape followed W3C specifications, while IE steadfastly held the “logical” interpretation. This “almost killed CSS” (Eric Meyer).





8

## box-sizing



none

- No more box model pain.



-5



9



-4

```
p {  
  color: #666;  
  box-sizing:  
>> border-box; /* IE */  
  box-sizing:  
>> content-box; /* W3C */  
}
```

# box-sizing

- box-sizing makes gutters and padding easier.

```
@media screen and (min-width: 20em) {  
  #content {  
    box-sizing: content-box; /* W3C */  
    width: 37%;  
    padding: 1.5%;  
  }  
}
```

# box-sizing

- box-sizing makes gutters and padding easier.

```
@media screen and (min-width: 20em) {  
  #content {  
    box-sizing: border-box;  
    width: 40%;  
    padding: 5%;  
  }  
}
```

# Style's the limit



[ajaxian.com/archives/fun-with-3d-css-and-video](http://ajaxian.com/archives/fun-with-3d-css-and-video)

# Going out in style

Progress on CSS modules

The future of CSS in Drupal

CSS in the long run



# CSS modules

- CSS split into distinct modules for independent progress.
- Currently, no browser supports the forthcoming markup, except for the `any()` selector, and only with vendor prefixes.

# :matches

- The matches-any pseudoclass.

```
:matches(header, nav, footer) ul {  
  margin: 0;  
  padding: 0;  
}
```

```
/* header ul, nav ul, footer ul { } */
```

# :matches

- :matches already exists in -vendor-any().

```
-moz-any(header, nav, footer) ul,  
-webkit-any(header, nav, footer) ul {  
  margin: 0;  
  padding: 0;  
}
```

```
/* header ul, nav ul, footer ul { } */
```

- Including improvements for bidirectional text.

```
p:dir(ltr) {  
  margin-left: 1em;  
}
```

```
p:dir rtl) {  
  margin-right: 1em;  
}
```

# :not

- The negation pseudoclass.

```
:not(header, nav, footer) ul {  
  margin: 0;  
  padding: 0;  
}
```

```
/* not header ul, nav ul, footer ul */
```



# :lang

- And language.

```
p:lang(en) {  
    font-family: Cardo, serif;  
}
```

```
p:lang(ru) {  
    font-family: RusskijModern, serif;  
}
```

# :local-link and :any-link

- Style based on a link's destination.

```
a:local-link {  
  color: purple; /* '/node/1', 'edit/' */  
}
```

```
a:any-link {  
  color: blue; /* 'http://drupal.org' */  
}
```

## /for/

- Reference combinators for qualified names.
- /for/ denotes “having the same ID.”

```
label:hover /for/ input {  
  border-radius: 5px;  
}
```

```
/* Styles the input whose label is  
hovered over. */
```

# \$subject

- We can also target parents of specific children.

```
ol > $li > strong {  
  text-decoration: underline;  
}
```

```
/* Styles the li that contains strong. */  
/* The entire li will have underline. */
```

# Implications for Drupal

- So what does this mean for Drupal?
- Selecting particular cases of parenthood and ID matching will greatly expand what CSS can affect in Drupal, meaning less crufty UIs.



# Implications for Drupal

- Before: *Nasty!*

```
<!-- theme output -->
<body class="html front sidebar-right"> ...
<div id="sidebar-right">

/* style.css */
.sidebar-right #content {
  background-image: url('hasright.png');
}
```

# Implications for Drupal

- After: *Woohoo!* Fewer body classes.

```
<!-- theme output -->
<body class="html front"> ...
<div id="sidebar-right">

/* style.css */
$#content > #sidebar-right {
  background-image: url('hasright.png');
}
```

# CSS modules in progress

- CSS Backgrounds and Borders 4  
[www.w3.org/TR/css4-background](http://www.w3.org/TR/css4-background)
- CSS Flexbox  
[www.w3.org/TR/css3-flexbox](http://www.w3.org/TR/css3-flexbox)
- CSS Images 4  
[www.w3.org/TR/css4-images](http://www.w3.org/TR/css4-images)

# CSS modules in progress

- CSS Multi-column Layout  
[www.w3.org/TR/css3-multicol](http://www.w3.org/TR/css3-multicol)
- CSS Selectors 4  
[www.w3.org/TR/selectors4](http://www.w3.org/TR/selectors4)
- CSS Values and Units 3  
[www.w3.org/TR/css3-values](http://www.w3.org/TR/css3-values)

# More general implications

- We have new syntax which can be considered more logical or programmatic than before.
- How far should a style sheet language go?
- These advancements have huge advantages for Drupal in the long run.



# Thank you!

- **Preston So** (@prestonso) is Prototype Developer at Acquia, co-maintainer of the Spark distribution and co-founder of the Southern Colorado Drupal Group.

[www.prestonsodesign.com](http://www.prestonsodesign.com)  
[drupal.org/user/325491](http://drupal.org/user/325491)

[psso@college.harvard.edu](mailto:psso@college.harvard.edu)  
[preston.so@acquia.com](mailto:preston.so@acquia.com)